HP PageWide XL Pro 5200 40-in Multifunction Printer with Pro Stacker



Expand into new short-term applications with instant printing





Respond faster to customer demands

- Respond to your customers' requests right away with print speeds up to 20 D/A1 pages/minute.
- Offer a combination of technical prints and shortterm retail posters, and meet the different demands quickly.
- Deliver full projects 2X faster by printing mixed outputs of both CAD drawings and presentation

Expand your offering, printing board applications

- Gain the ability to print on boards, cardstock, and paper from A2 to B1, and thickness up to 3/8 in
- Expand into two-sided, short-term retail posters, and send them to print easily through HP SmartStream.
- Get intuitive workflows for a fast learning curve with simple application instructions through HP
- Use responsibly sourced FSC®-certified papers, make recyclable prints, enjoy water-based HP

Help increase revenues and cut costs

- Enable rapid return on investment—grow your offering with a single HP-branded solution.
- Accept new orders and, at the same time, reduce manual work—save up to 50% preparation and finishing costs.⁵
- Save further—up to 10X lower energy consumption⁶, free supply take-back program⁷, HP Eco-Carton cartridge.

For more information, please visit http://www.hp.com/go/pagewidexlpro5200

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

¹ The HP PageWide XL Pro 5200 Multifunction Printer delivers 20 CAD output D/A1 prints in 1 minute. Number of pages will vary depending on the print mode and application printed.

2 Based on testing commissioned by HP and performed by Sogeti in September, 2020 comparing the HP PageWide XL Pro 8200 Printer and a comparable competitive printer that represents the majority market share of LED printers worldwide as of 2019 according to IDC. Test performed by printing 3 B1 posters on B1 foam and 3 copies of a 6-page file combining sizes A0, A1 and plain, coated paper types. Measuring time from clicking "send" button until last page gets out from out of the printer. Using equivalent print quality

To the control of the

²⁰¹³ actioning to city, by plepaning and printing the job. Test period as a control in include the printing and printing the job. Test period as a control in include the printing and printing the job. Test period as a few parts of the printing and printing and printing as a period as a few parts of the printing and printing as a few parts of the printing and printing as a few parts of the part

Technical specifications

General	
Description	Large-format color MFP
Technology	HP PageWide Technology
Applications	Line drawings; Maps; Orthophotos; Posters; Double-sided posters; Presentation boards; Wrapping paper
Ink types	Pigment-based (C, M, Y, K)
Ink cartridges	4 (C, M, Y, K)
Cartridge size	1L
Printheads	8 (C, M, Y, K)
Average printhead life	32 L
Printhead warranty	16 L or 12 months
Print resolution	1200 x 1200 dpi
Minimum line width	0.02 mm (HP-GL/2 addressable)
Line accuracy	±0.1% ¹
Print speed	
Technical documents (from roll)	Up to 1100 A1 pages/hr, 20 A1 pages/min Up to 600 A0 pages/hr, 11 A0 pages/min
Poster full coverage (from roll)	Up to 400 m ² /hr, 600 B1 pages/hr, 12 B1 pages/min
Poster full coverage (from input tray)	Up to 100 m²/hr, 3 B1 pages/min
Maximum print speed	15 m/min
Warm-up time	No warm up
First page out	18 sec (from roll and USB), 50 sec (from input tray and USB)
Media	
Media rolls	2 rolls default with auto-switching, expandable to 4 rolls
Roll size	279 to 1016 mm
Roll diameter	Up to 177 mm
Roll core diameter	7.6 cm
Sheet/board size	297 to 1020 mm (width), 450 ² to 765 ³ mm (length)
Standard sheets/boards	SRA3 ⁴ , A2, A1, B2, B1
Grammage	70 to 200 g/m² (roll); 80 to 1050 g/m² (sheet/board)
Media thickness	Up to 0.4 mm (roll); up to 10 mm (sheet/board)
Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film
Media input (standard)	Roll, input tray
Media input (optional)	Pro sheet feeder
Media output (standard)	Pro stacker (500-page capacity), basket
Media output (optional)	Top stacker (100-page capacity), online folder
Scanner	
Description	36-in (91-cm) CIS scanner
Speed	Color: up to 15.24 cm/sec
Optical recolution	Grayscale: up to 25.4 cm/sec
Optical resolution	1200 dpi
Scan width	Up to 914 mm
Original thickness	9.5 m
Maximum copy length Maximum scan length	9.5 m 50 m (PDF), 12 m (TIFF), 8 m (JPEG) ⁵
Scan format Scan features	JPEG, IFF, multi-TIFF, PDF, PDFA, multi-PDF, multi-PDFA Live preview, scan quicksets, smart background removal, black enhancement, automatic de-skew reduce scan speed, post-edit settings (contrast, brightness, rotation, cropping and skew)
Scan destination	Printer storage, USB drive, network folder (SMB), My home folder, scan to email, scan to HP SmartStream software
Embedded controller	
Processor	Intel Core i3
Memory	16 GB DDR4
Hard drive	1×128 GB SSD, 1×500 GB HDD, both self-encrypted with AES-256
Native print languages	HP-GL/2, TIFF, JPEG, Adobe PostScript 3, Adobe PDF 1.7
Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS
Connectivity	
nterfaces	Gigabit Ethernet (1000Base-T), USB 2.0 host
Printing paths	HP SmartStream software (optional), HP Click printing software (optional), HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint
User interface	
User interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen

Dimensions (w x d x h)	
Printer	1955 x 2041 x 1637 mm
Shipping	2257 x 1040 x 1595 mm
Weight	
Printer	620 kg
Shipping	744 kg
Environmental	
Operating temperature	5 to 40°C
Operating humidity	20 to 80% RH, depending on media type
Acoustics	
Sound pressure	≤60 dB(A) (operating), ≤36 dB(A) (idle), ≤20 dB(A) (sleep)
Sound power	≤7.8 B(A) (operating), ≤5.5 B(A) (idle), ≤3.5 B(A) (sleep)
Power	
Consumption	0.29 kW (typical); 0.9 kW (max printing); 100 W (ready); <18 W (sleep)
Requirements	Input voltage (auto ranging) 200-240 V (±10%), 50/60 Hz (±3 Hz), 5 A
Certification	
Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)
Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
Environmental	ENERGY STAR, EPEAT Registered, UL 2801 ECOLOGO, CE marking (including RoHS, WEEE, REACH). In compliance with WW ROHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukrain.
Warranty	90 days

Ordering information

4VW19B HP PageWide XL Pro 5200 40-in Multifunction Printer with Pro Stacker

8SB02A 8SB05A 8SB09A 8SF70A HP PageWide XL Drawer HP PageWide XL Pro Sheet Feeder HP PageWide XL Folder Upgrade Kit for Long Plots HP F70 Folder

Original HP printing supplies

HP 874/876 PageWide XL Cleaning Container HP 876 PageWide XL Pro Printhead HP 841/874/876 PageWide XL Maintenance Cartridge 3WW73A

Original HP large format printing materials

HP Universal Bond Paper, 3-in Core (FSC® certified)⁶ (recyclable)⁷
HP Production Matte Poster Paper, 3-in Core (FSC® certified)⁶ (recyclable)⁷
HP Production Sain Poster Paper, 3-in Core (FSC® certified)⁶ (recyclable)⁷
HP Universal Heavyweight Coaled Paper, 3-in Core (FSC® certified)⁶ (recyclable)⁷
HP Matte Polypropylene, 3-in Core

1±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment ink.
420 mm (16.5 in) supported only in boards.
3 Longer lengths may be supported depending on the accessories installed.
43 (Arch B and ANSI B) supported only in boards.
5 Scanned at 200 dpi.PDF scanning available on PostScript models only.
6 BMG trademark license code FSC°C-115319, see http://www.fsc.org, HP trademark license code FSC°C-115319, see http://www.fsc.org, Not all FSC°-certified products are available in all regions. For information about HP large format printing materials, please visit http://www.HPLPMedia.com.
7 (an be recycled through commonly available recycling programs.























