# HP PageWide XL Pro 10000 40-in Printer with **Pro Stacker**



High-speed, cost-effective production printing of short-term posters on rolls, sheets, and boards





# Maximum job turnaround time at breakthrough speed

- Respond immediately—help boost productivity with fast printing up to 1100 ft2 or 1,000 B1 posters per hour.
- Consolidate the capacity of your fleet into a single device that can efficiently print different sizes.
- Output is ready for finishing or delivery right away, with instant-dry prints on compatible substrates.

## Highly cost-effective print production

- An affordable investment for retail poster production
- Save your operator's time with the easy-tomaintain system and user-replaceable printheads.
- Get set up in less than 5 hours<sup>2</sup>—there are no special electrical/ventilation needs for this compact device.
- Keep fleet control on-site with the status beacon, remotely with HP PrintOS view into production and

## Short-term posters on rolls, sheets, and boards

- End-to-end cut-sheet workflow with first HP largeformat auto sheet feeder, versatile stacker.
- Fast large-format two-sided cut-sheet workflow with simple application instructions.
- Use a variety of sizes of paper, cardstock, and boards—from A2 up to B1, and thickness up to 3/8 in (10 mm).
- Use responsibly sourced FSC®-certified papers, make recyclable prints, enjoy water-based HP pigment inks.4

# For more information, please visit http://www.hp.com/go/pagewidexlpro10000

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

<sup>1</sup> The HP PageWide XL Pro 10000 Printer delivers up to 1100 ft<sup>2</sup> or 1,000 B1 posters per hour. Number of pages will vary depending on the print mode and application printed.

2 Conclusion based on internal HP testing, October 2020, measuring the time required to set up the printer. Time measured after unpacking the printer to connectivity check.

3 Requires an HP PrintOS account, Internet connection, and connected Internet-capable device. For more information, see http://www.printos.com.

4 BMG trademark license code FSC®-C115319, see http://www.fsc.org, HP trademark license code FSC®-C017543, see http://www.HPLFMedia.com. Most HP large format printing materials, please visit http://www.HPLFMedia.com. Most HP large format paper-based printing materials can be recycled through commonly available recycling programs, or according to region-specific practices. Some HP media are eligible for return through the free, convenient HP Large Format Media take-back program. Programs may not exist in your area. See http://www.HPLFMedia.com/hplecosolutions for details.

# Technical specifications

General				
Description	Large-format color printer			
Technology	HP PageWide Technology			
Applications	Posters; Double-sided posters; Presentation boards; Wrapping paper			
Ink types	Pigment-based (C, M, Y, K)			
Ink cartridges	4 (C, M, Y, K)			
Cartridge size	5L			
Printheads	8 (C, M, Y, K)			
Average printhead life	32 L			
Printhead warranty	16 L or 12 months			
Print resolution	1200 x 1200 dpi			
Print speed				
Poster full coverage (from roll)	Fast: Up to 7500 ft²/hr, 1000 ISO B1 pages/hr, 24 ISO B1 pages/min Normal: Up to 4300 ft²/hr Best: Up to 3200 ft²/hr			
Poster full coverage (from input tray)	Up to 1100 ft²/hr, 3 ISO B1 pages/min			
Maximum print speed	75 ft/min			
Warm-up time	No warm up			
First page out	18 sec (from roll and USB), 50 sec (from input tray and USB)			
Media				
Media rolls	2 rolls default with auto-switching, expandable to 6 rolls			
Roll size	11 to 40 in			
Roll diameter	Up to 7 in			
Roll core diameter	3 in			
Sheet/board size	11.7 to 40.2 in (width), 17.7 <sup>1</sup> to 30.1 <sup>2</sup> in (length)			
Standard sheets/boards	Arch B <sup>3</sup> , C, D, E, ANSI B <sup>3</sup> , C, D, ISO B2, B1			
Grammage	19 to 53 lb (roll); 1000 gsm (sheet/board)			
Media thickness	Up to 15.7 mil (roll); 1/24 in – 3/8 in (sheet/board)			
Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film			
Media input (standard)	Roll, input tray			
Media input (optional)	Pro sheet feeder			
Media output (standard)	Pro stacker (500-page capacity), basket			
Embedded controller				
Processor	Intel Core i5			
Memory	16 GB DDR4			
Hard drive	1 x 128 GB SSD, 1 x 500 GB HDD, both self-encrypted with AES-256			
Native print languages	HP-GL/2, TIFF, JPEG, Adobe PostScript 3, Adobe PDF 1.7			
Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS			
Connectivity				
Interfaces	Gigabit Ethernet (1000Base-T), USB 2.0 host			
Printing paths	HP SmartStream software (optional), Apple AirPrint			
User interface				
User interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen			

Dimensions (w x d x h)					
Printer	77 x 80.3 x 64.4 in				
Shipping	88.9 x 40.9 x 62.8 in				
Weight					
Printer	1448 lb				
Shipping	1819 lb				
Environmental					
Operating temperature	41 to 104°F				
Operating humidity	20 to 80% RH, depending on media type				
Acoustics					
Sound pressure	$\leq$ 60 dB(A) (operating), $\leq$ 38 dB(A) (idle), $\leq$ 20 dB(A) (sleep)				
Sound power	≤7.8 B(A) (operating), ≤5.8 B(A) (idle), ≤3.5 B(A) (sleep)				
Power					
Consumption	0.37 kW (typical); 1.2 kW (max printing); 120 W (ready); <16 W (sleep)				
Requirements	Input voltage (auto ranging) 200-240 V (±10%), 50/60 Hz (±3 Hz), 8 A				
Certification					
Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)				
Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)				
Environmental	ENERGY STAR, EPEAT Registered, UL 2801 ECOLOGO, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine				
Warranty	90 days				

# **Ordering information**

Pi	о	di	110	t

4VW21B HP PageWide XL Pro 10000 40-in Printer with Pro Stacker

#### Accessories

8SB02A HP PageWide XL Drawer 8SB05A HP PageWide XL Pro Sheet Feeder

#### Original HP printing supplies

HP 870 S-liter Magenta PageWide XL Pro Ink Cartridge HP 870 S-liter Yellow PageWide XL Pro Ink Cartridge HP 870 S-liter Cyan PageWide XL Pro Ink Cartridge HP 870 S-liter Black PageWide XL Pro Ink Cartridge HP 874 J876 PageWide XL Pro Ink Cartridge HP 874/B76 PageWide XL Cleaning Container HP 876 PageWide XL Pro Printhead HP 841/874/876 PageWide XL Maintenance Cartridge 1XA91A 1XA92A 1XA93A 1XA94A 3WW73A 3WW75A 3WW99A

# Original HP large format printing materials

HP Universal Bond Paper, 3-in Core (FSC® certified)<sup>4</sup> (recyclable)<sup>5</sup>
HP Production Matte Poster Paper, 3-in Core (FSC® certified)<sup>4</sup> (recyclable)<sup>5</sup>
HP Production Satin Poster Paper, 3-in Core (FSC® certified)<sup>4</sup> (recyclable)<sup>5</sup>
HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)<sup>4</sup> (recyclable)<sup>5</sup>
HP Matte Polypropylene, 3-in Core

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

1 420 mm (16.5 in) supported only in boards.
2 Longer lengths may be supported depending on the accessories installed.
3 A3 (Arch B and ANSI B) supported only in boards.
4 BMG trademark license code FSC®-C115319, see http://www.fsc.org. HP trademark license code FSC®-C017543, see http://www.fsc.org. Not all FSC®-Certified products are available in all regions. For information about HP large format printing materials, please wish thtp://www.HPLFMedia.com.
5 Can be recycled through commonly available recycling programs.























